

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

### SECTION 1. IDENTIFICATION

Product name : Starblast™ Blasting Abrasives

Product code : D11710988

SDS-Identcode : 130000030937

#### Manufacturer or supplier's details

Company name of supplier : The Chemours Company FC, LLC

Address : 1007 Market Street  
Wilmington, DE 19899 United States of America (USA)

Telephone : 1-844-773-CHEM (outside the U.S. 1-302-773-1000)

Emergency telephone : Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

#### Recommended use of the chemical and restrictions on use

Recommended use : Abrasive blasting  
Sand blasting

Restrictions on use : For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Zircon	14940-68-2	>= 1 - < 5
Quartz	14808-60-7	>= 1 - < 5
Kyanite	1302-76-7	>= 1 - < 5
Rutile (TiO <sub>2</sub> )	1317-80-2	>= 1 - < 5
Sillimanite	12141-45-6	>= 1 - < 5

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

### SECTION 4. FIRST AID MEASURES

- || If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- || In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- || In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- || If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- || Most important symptoms and effects, both acute and delayed : irritant effects
- || Protection of first-aiders : No special precautions are necessary for first aid responders.
- || Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- || Suitable extinguishing media : Not applicable  
Will not burn
- || Unsuitable extinguishing media : Not applicable  
Will not burn
- || Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- || Hazardous combustion products : Silicon oxides  
Metal oxides  
Carbon oxides
- || Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- || Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- || Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
-

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

- || Environmental precautions : Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- || Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers. Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zircon	14940-68-2	TWA	5 mg/m <sup>3</sup> (Zirconium)	OSHA Z-1
		TWA	5 mg/m <sup>3</sup> (Zirconium)	ACGIH
		STEL	10 mg/m <sup>3</sup> (Zirconium)	ACGIH
		TWA	5 mg/m <sup>3</sup> (Zirconium)	NIOSH REL
		ST	10 mg/m <sup>3</sup> (Zirconium)	NIOSH REL
Quartz	14808-60-7	TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
 Date of first issue: 04/28/2017

		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		TWA (Respirable fraction)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
Kyanite	1302-76-7	TWA (Respirable fraction)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH
Rutile (TiO <sub>2</sub> )	1317-80-2	TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH
Sillimanite	12141-45-6	TWA (Respirable fraction)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH

**These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.**

Quartz

**Engineering measures** : If using this product as an abrasive blast agent in confined areas, airborne dust levels should be controlled by physical enclosure of the abrasive blasting operation. The enclosure should be exhaust ventilated. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

- || Remarks : Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment:  
Safety glasses
- || Skin and body protection : Skin should be washed after contact.
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.
- 

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid
- Color : red brown
- Odor : odorless
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : 2,498 °F / 1,370 °C
- Initial boiling point and boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : Will not burn  
Not expected to form explosive dust-air mixtures.
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : Not applicable
- Relative vapor density : Not applicable
- Relative density : No data available
- Solubility(ies)  
Water solubility : insoluble
- Partition coefficient: n-octanol/water : Not applicable

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute inhalation toxicity : Remarks: The objective of the study was to compare the lung toxicity of a set of abrasive substitutes for silica dust (garnet, staurolite, coal slag, specular hematite, and treated sand) to that of blasting sand. Rats were intratracheally instilled with 2.5 or 10 mg/kg of the various test substances and pulmonary toxicity endpoints were measured at 4 weeks postexposure. The biomarkers included lung inflammation and cytotoxicity endpoints. In addition, the investigators measured alveolar macrophage activation. The results indicated that blasting sand produced evidence of pulmonary toxicity/inflammation and lung fibrosis. Garnet, staurolite, and treated sand exposures induced pulmonary hazard effects and inflammation that

## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 05/23/2018
5.0	06/08/2018	1597635-00006	Date of first issue: 04/28/2017

were viewed as similar to blasting sand, while coal slag instillation produced greater pulmonary damage and inflammation than blasting sand. In contrast, specular hematite did not significantly increase levels of inflammation and cytotoxicity and did not stimulate macrophage activation. [Hubbs AF et al., Toxicological Sciences volume 61: 135-143, 2001] The results of this study should be viewed as a preliminary, screening-type pulmonary toxicity study which utilized very high, overload doses. Subsequently, the NIOSH researchers followed up on the Hubbs et al., study with another lung toxicity screening study of blasting agents ["Comparative pulmonary toxicity of blasting sand and five substitute abrasive blasting agents" – DW Porter et al., J Toxicol Environ Health A 65:1121-40, 2002]. The additional test substances included steel grit, copper slag, nickel slag, crushed glass and olivine. The authors reported that steel grit produced less lung toxicity than blasting sand or any of the other abrasive blasting substitutes

**Components:****Zircon:**

- |                           |   |   |
|---------------------------|---|---|
| Acute oral toxicity       | : | LD50 (Rat): > 5,000 mg/kg<br>Remarks: Based on data from similar materials  |
| Acute inhalation toxicity | : | LC50 (Rat): > 4.3 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 436<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: Based on data from similar materials |

**Quartz:**

- |                     |   |                           |
|---------------------|---|---------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg |
|---------------------|---|---------------------------|

**Kyanite:**

- |                       |   |   |
|-----------------------|---|---|
| Acute oral toxicity   | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 423<br>Remarks: Based on data from similar materials |
| Acute dermal toxicity | : | LD50 (Rabbit): > 5,000 mg/kg<br>Remarks: Based on data from similar materials                                 |

**Rutile (TiO<sub>2</sub>):**

- |                     |   |   |
|---------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg<br>Method: OECD Test Guideline 425<br>Remarks: Based on data from similar materials |
|---------------------|---|---|

**Sillimanite:**

- |                     |   |  |
|---------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 423 |
|---------------------|---|--|

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Zircon:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Kyanite:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Rutile (TiO<sub>2</sub>):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Information given is based on data obtained from similar substances.

#### **Sillimanite:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **Zircon:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

#### **Kyanite:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials



# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

### Rutile (TiO<sub>2</sub>):

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

### Sillimanite:

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Zircon:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

#### Kyanite:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

#### Rutile (TiO<sub>2</sub>):

Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

#### Sillimanite:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
 Date of first issue: 04/28/2017

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Zircon:**

- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative  
 Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cyto-genetic test, chromosomal analysis)  
 Species: Rat  
 Application Route: inhalation (dust/mist/fume)  
 Result: negative  
 Remarks: Based on data from similar materials

**Kyanite:**

- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cyto-genetic test, chromosomal analysis)  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**Rutile (TiO<sub>2</sub>):**

- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Sillimanite:**

- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cyto-genetic test, chromosomal analysis)  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

### **Components:**

#### **Zircon:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

#### **Quartz:**

Species : Humans  
Application Route : inhalation (dust/mist/fume)  
Result : positive  
Remarks : IARC: (International Agency for Research on Cancer)  
These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (inhalation)

#### **Kyanite:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

#### **Rutile (TiO<sub>2</sub>):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

#### **Sillimanite:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

#### **IARC**

Group 1: Carcinogenic to humans  
Quartz 14808-60-7  
(Silica dust, crystalline)  
Group 2B: Possibly carcinogenic to humans  
Rutile (TiO<sub>2</sub>) 1317-80-2

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **NTP**

Known to be human carcinogen  
Quartz 14808-60-7  
(Silica, Crystalline (Respirable Size))

## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
 Date of first issue: 04/28/2017

**Reproductive toxicity**

Not classified based on available information.

**Components:****Zircon:**

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**Kyanite:**

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

**Rutile (TiO<sub>2</sub>):**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****Zircon:**

Routes of exposure : inhalation (dust/mist/fume)  
 Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

**Quartz:**

Routes of exposure : inhalation (dust/mist/fume)  
 Target Organs : Lungs  
 Assessment : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

**Rutile (TiO<sub>2</sub>):**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Zircon:**

Species : Rat

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

NOAEL : > 100.8 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 30 Days  
Remarks : Based on data from similar materials

### Quartz:

Species : Humans  
LOAEL : 0.053 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Remarks : These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

### Kyanite:

Species : Rat  
NOAEL : 1,760 - 3,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y  
Remarks : Based on data from similar materials

### Rutile (TiO<sub>2</sub>):

Species : Rat  
NOAEL : 24,000 mg/kg  
LOAEL : > 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Remarks : No significant adverse effects were reported  
Based on data from similar materials

### Sillimanite:

Species : Rat  
NOAEL : 1,760 - 3,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y  
Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Zircon:

Toxicity to fish : LC<sub>50</sub> (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC<sub>50</sub> (Daphnia magna (Water flea)): > 100 mg/l

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

aquatic invertebrates      Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae      :    NOEC (Chlorella vulgaris (Fresh water algae)): > 200 mg/l  
Exposure time: 15 d  
Remarks: Based on data from similar materials

### Quartz:

#### Ecotoxicology Assessment

Acute aquatic toxicity      :    No toxicity at the limit of solubility.

Chronic aquatic toxicity    :    No toxicity at the limit of solubility.

### Kyanite:

#### Ecotoxicology Assessment

Chronic aquatic toxicity    :    No toxicity at the limit of solubility.

### Rutile (TiO<sub>2</sub>):

Toxicity to fish      :    LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates    :    EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae      :    ErC50 (algae): > 10,000 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC (algae): 5,600 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

### Sillimanite:

#### Ecotoxicology Assessment

Chronic aquatic toxicity    :    No toxicity at the limit of solubility.

#### Persistence and degradability

No data available

#### Bioaccumulative potential

#### Components:

### Rutile (TiO<sub>2</sub>):

Bioaccumulation      :    Remarks: Bioaccumulation is unlikely.  
Based on data from similar materials

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

---

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

---

## SECTION 15. REGULATORY INFORMATION

### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

---

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version 5.0      Revision Date: 06/08/2018      SDS Number: 1597635-00006      Date of last issue: 05/23/2018  
Date of first issue: 04/28/2017

### US State Regulations

#### Pennsylvania Right To Know

Staurolite	12182-56-8
Ilmenite	12168-52-4
Zircon	14940-68-2
Quartz	14808-60-7
Rutile (TiO <sub>2</sub> )	1317-80-2

#### California Prop. 65

WARNING: This product can expose you to chemicals including Quartz, Quartz, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### California List of Hazardous Substances

Zircon	14940-68-2
--------	------------

#### California Permissible Exposure Limits for Chemical Contaminants

Zircon	14940-68-2
Quartz	14808-60-7


#### California Regulated Carcinogens

Quartz	14808-60-7
--------	------------

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Starblast™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Do not use or resell Chemours™ materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.



# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version            Revision Date:            SDS Number:            Date of last issue: 05/23/2018  
5.0                06/08/2018              1597635-00006        Date of first issue: 04/28/2017

---

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

The stated hazards of this material are based on non-inhalable particles that are the bulk fraction of the delivered product. However, if during handling or use the particles are broken down to the inhalable or respirable size range, the dusts may be harmful to the respiratory system. Inhalable quartz is an IARC Category 1 carcinogen and applicable exposure limits should be referenced. Staurolite Products contain trace quantities of naturally occurring radioactive uranium and thorium (less than or equal to 25 ppm uranium plus 175 ppm thorium = 200 ppm total U + Th or 0.02 % w/w, equivalent to 28 pCi/g or less), and radium (less than or equal to 28 pCi/g). Naturally Occurring Radioactive Material, namely uranium, thorium, and their decay products, including radium, is commonly referred to as "NORM".

For a total dust with aerodynamic diameter of 1 µm, the calculated reference dust level is 6.9 mg/m<sup>3</sup>. For a total dust with aerodynamic diameter of 5 µm, the calculated reference dust level is 10.8 mg/m<sup>3</sup>. For a total dust with aerodynamic diameter of 10 µm, the calculated reference dust level is 15.9 mg/m<sup>3</sup>.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET



## Starblast™ Blasting Abrasives

Version	Revision Date:	SDS Number:	Date of last issue: 05/23/2018
5.0	06/08/2018	1597635-00006	Date of first issue: 04/28/2017

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/08/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8