



DUSTMASTER® DUST COLLECTOR FILTER CARTRIDGES



BUILT MARCO TOUGH
MARCO MANUFACTURED

PART NUMBERS AND SCHEMATICS GUIDE

Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

The Marco Difference

- **Industry Experience** – With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a "Center of Competence." As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- **Manufacturing Excellence** – Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the "Gold Standard" for performance, safety, and quality.
- **Legendary Customer Service** – Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- **Product Availability** – We stock over 10,000 SKU's and have over 45 shipping locations to serve North American and International markets for all major brands of blasting and painting equipment. As the largest provider of surface preparation and protective coatings equipment in the world, our inventory levels and product availability are unmatched.
- **Logistics Services** – Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move over 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** – Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, MSDS information, and Features, Advantages, and Benefits Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

Vision Statement

Marco is the world's premier provider of Abrasives, Blasting Equipment, Coating Equipment, Engineered Systems, Rental Equipment, Safety Equipment, Service, and Repair.

Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

TABLE OF CONTENTS

Company Profile	2
Table of Contents	3
Dust Collector Filter Cartridges	4-9
Filter Cartridge Styles	4
Customer Product Profile	5
Open Top/Open Bottom Part Numbers	6
Open Top/Closed Bottom Part Numbers	7
Open Top with Flange/Closed Bottom Part Numbers ..	8
Polymax Filter Part Numbers	8
Filter Retrieval Kit	9
Optional Accessories	10
Maintenance Notes	11

DUST COLLECTOR FILTER CARTRIDGE STYLES

Open Top/Bottom



Closed Top/Bottom



Closed with Bolt Hole Top/Bottom



Open with Bolt Holes Top



Round Flanged Top/Bottom



Rectangle Flanged Top/Bottom



CUSTOMER PRODUCT PROFILE

Please complete the form below so we can better serve your needs and fax it back to your Account Manager at 563.324.6258.

Name: _____

Company: _____

Phone: () _____

FILTER END CAP ORIENTATION

End Cap Description

- Open x Open
- Open x Closed
- Open Flanged x Closed

Flange Size

_____ Height (*thickness*)

_____ Width

_____ Length

Is there a Bolt Hole? (*Closed Only*)

- Yes
Size: _____
- No

FILTER DIMENSIONS & GASKET INFORMATION

Filter Inside Diameter

- 8.375"
- 9.5"
- Other _____

Filter Outside Diameter

- 7.875"
- 12.75"
- 14"
- Other _____

Gasket Quantity & Location

- _____ Top
- _____ Bottom
- _____ Under Flange

Gasket Dimensions – Width x Height

- .375" x .5"
- .5" x .5"
- .375" x 1"
- Other _____

Total Height – End Cap to End Cap

Not Including Gaskets

- 26"
- 30"
- 36"
- Other _____

Distance from I.D. of End Cap to I.D. of Gasket

FILTER MEDIA TYPE

Media

- 85/15 Blend
- Fire Retardant – 85/15 Blend
 - Yes No
- Spunbond
- Other _____

Projected Quantity Per Year

Projected Quantity Purchase at One Time

OPEN TOP/OPEN BOTTOM STYLE FILTER CARTRIDGES



Numbers

	OPEN TOP/OPEN BOTTOM											
	Filter Material				Height	I.D.	O.D.	# of Pleats	Bottom Gasket	Top Gasket	Cartridge Top	Cartridge Bottom
	85% Cellulose/ 15% Polyester Blend	Spunbond	Fire Retardant	HEPA								
10102035	X				25.25"	9.5"	13.9"	354	X		Open	Open
10102026	X				26"	8.375"	12.75"	315	X		Open	Open
10102036	X				26"	9.5"	13.9"	354	X		Open	Open
10102037	X				27"	9.5"	13.9"	354	X		Open	Open
10102221	X				28"	9.75"	15"	390	X		Open	Open
10102141	X				30"	8.375"	12.75"	315	X		Open	Open
10102093	X				30"	9.5"	13.9"	354	X		Open	Open
10102245		X			26"	8.375"	12.75"	315	X		Open	Open
10103939		X			26"	9.5"	13.9"	170	X		Open	Open
10102346		X			28"	9.5"	13.9"	170	X		Open	Open
10102347		X			28"	9.5"	13.9"	170	X	X	Open	Open
10102377		X			28"	9.5"	13.9"	170	X		Open	Open
10102378		X			28"	9.5"	13.9"	170	X	X	Open	Open
10103301			X		25.25"	9.5"	13.90"	354	—		Open	Open
10102552			X		26"	8.375"	12.75"	315				
10101991			X		26"	9.5"	13.9"	354	X		Open	Open
10102034			X		26"	9.5"	13.9"	354	X		Open	Open
10102092			X		26"	9.5"	13.9"	354	X		Open	Open
10102000			X		28"	9.5"	13.9"	354	X		Open	Open

Contact Marco for additional filter specifications.

OPEN TOP/CLOSED BOTTOM STYLE FILTER CARTRIDGES



Part Numbers

OPEN TOP/CLOSED BOTTOM												
Part Numbers	Filter Material				Height	I.D.	O.D.	# of Pleats	Bolt Hole	Cartridge Top	Cartridge Bottom	Bottom Gasket
	85% Cellulose/ 15% Polyester Blend	Spunbond	Fire Retardant	HEPA								
10102027	X				26"	8.375"	12.75"	315	.54"	Open	Closed	X
10102117	X				26"	9.5"	13.9"	354	—	Open	Closed	X
10102119	X				26"	9.5"	13.9"	354	.54"	Open	Closed	X
10102340	X				27"	9.50"	13.90"	354	.54"	Open	Closed	X
10103598	X				30"			315				
10102230	X				30"	8.375"	12.75"	315	.54"	Open	Closed	X
10102238	X				36"	8.375"	12.75"	315	.875"	Open	Closed	X
10102239	X				36"	8.375"	12.75"	315	.75"	Open	Closed	X
10102559	X				36"	8.375"	12.75"	315	.50"	Open	Closed	X
10103295	X				36"	8.375"	12.75"	315	.54"	Open	Closed	X
10102244		X			26"	8.375"	12.75"	315	.54"	Open	Closed	X
10102382		X			48"	8.375"	12.75"	153	.54"	Open	Closed	X
10102253			X		36"	8.375"	12.75"	315	.54"	Open	Closed	X

Contact Marco for additional filter specifications.

OPEN TOP WITH FLANGE/CLOSED BOTTOM STYLE FILTER CARTRIDGES



OPEN TOP WITH FLANGE/CLOSED BOTTOM

Part Numbers	Filter Material				Height	I.D.	O.D.	# of Pleats	Open Top	Bolt Hole(s)	Cartridge Bottom	Bottom Gasket	Gasket Location on Flange
	85% Cellulose/ 15% Polyester Blend	Spunbond	Fire Retardant	HEPA									
10102028	X				26"	8.375"	12.75"	315	X		Closed	X	Bottom
10105828	X				26"	8.38"	12.75"	315	X		Closed	X	Bottom
10102334	X				26"	8.375"	12.75"	315	X		Closed	X	Top
10104374	X				26"	8.38"	12.75"	315	X		Closed	X	Top
10104581	X				26"	8.38"	12.75"	315	X		Closed	X	Bottom
10105098	X				26"	8.38"	12.75"	315	X		Closed	X	Top
10106855	X				26"	8.38"	12.75"	315	X	.50"	Closed	X	Bottom
10103857	X				26"	8.38"	12.75"		X	.54"	Closed	X	Top
10102242	X				30"	8.375"	12.75"	315	X		Closed	X	Bottom
10105561	X				30"	8.38"	12.75"	315	X		Closed	X	Bottom
10102033	X				30"	8.38"	12.75"	315	X	.50"	Closed	X	Bottom
10102031	X				34"	8.375"	12.75"	315	X		Closed	X	Top
10105973	X				35"	4.87"	9.22"	205	X		Closed	X	Bottom
10103499	X				35"	8.38"	12.75"	315	X		Closed	X	Bottom
10106218	X				35"	4.87	9.22"	158	X		Closed	X	Bottom
10105256	X				35"	8.38"	12.75"	240	X		Closed	X	Bottom
1010002304	X				36"	8.38	12.75"		X	.54"	Closed	X	Top
10102310	X				36"	3.5"	7.875"	115	X		Closed	X	Top
10102021	X				36"	4.375"	9.22"	210	X		Closed	—	—
10102032	X				36"	8.375"	12.75"	315	X		Closed	X	Top
10102029	X				36"	8.375"	12.75"	315	X		Closed	X	Bottom
10102030	X				36"	8.375"	12.75"	315	X		Closed	X	Top
10102559	X				36"	8.38"	12.75"	315	X		Closed	X	Bottom
10102475	X				39"	10.60"	15.10"	360	X		Closed	X	Top
10102091	X				52"	8.375"	12.75"	315	X		Closed	X	Top
10102236	X				52"	8.375"	12.75"	315	X		Closed	X	Top

Continued Next Page

Contact Marco for additional filter specifications.

OPEN TOP WITH FLANGE/CLOSED BOTTOM STYLE FILTER CARTRIDGES

Part Numbers	OPEN TOP WITH FLANGE/CLOSED BOTTOM CON'T												
	Filter Material				Height	I.D.	O.D.	# of Pleats	Open Top	Bolt Hole(s)	Cartridge Bottom	Bottom Gasket	Gasket Location on Flange
	85% Cellulose/ 15% Polyester Blend	Spunbond	Fire Retardant	HEPA									
10105733		X			26"	8.375"	12.75"	205	X		Closed	X	Bottom
10107390		X			26"	8.38"	12.75"	205	X		Closed	X	Top
10105563		X			30"	8.38"	12.75"	205	X		Closed	X	Bottom
10105980		X			35"	4.87"	9.22"	100	X		Closed	X	Bottom
10103964		X			35"	8.38"	12.75"	205	X		Closed	X	Bottom
10102237		X			36"	8.375"	12.75"	315	X		Closed	X	Top
10102389		X			36"	3.5"	7.875"	54	X		Closed	X	Top
10105732			X		26"	8.375"	12.75"		X		Closed	X	Bottom
10105974			X		35"	4.87"	9.22"		X		Closed	X	Bottom
10105562			X		35"	8.38"	12.75"		X		Closed	X	Bottom
10103945			X		35"	8.38"	12.75"		X		Closed	X	Bottom
1010007893				X	26"	8.38"	12.75"		X		Closed	X	Bottom
1010005946				X	30"	4.87	9.22"		X		Closed	X	Bottom
1010008004				X	35"	8.38"	12.75"		X		Closed	X	Bottom
101569046				X	35"	4.87	9.22"		X		Closed	X	Bottom

Contact Marco for additional filter specifications.

Part Numbers	OPEN TOP WITH FLANGE/CLOSED BOTTOM – POLYMAX					
	Filter Material	Height	O.D.	Open Top	Cartridge Bottom	Bottom Gasket
	Polymax					
10102787	X	42.75"	7.25"	X	Closed	X
10102788	X	36"	7.25"	X	Closed	X

OPTIONAL ACCESSORIES

Part Numbers	DUST COLLECTOR FILTER CARTRIDGE RETRIEVAL KIT	
	Description	U.O.M.
10102534	Dust Collector Filter Cartridges Retrieval Kit <i>(Includes box and clear polyester bag for returning filter cartridges)</i>	One Each

GLOBAL HEADQUARTERS

- 3425 East Locust Street
Davenport, IA 52803

ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519

fax: 563.324.6258

REGIONAL BRANCH OFFICES

- **Iowa**
Davenport
- **Louisiana**
Gonzales
Lafayette
- **Ohio**
Youngstown
- **Texas**
Beaumont
Corpus Christi
Deer Park

40+ NATIONWIDE SHIPPING LOCATIONS



★ Marco Regional Branch Offices
and Shipping Locations

● Direct Shipping Locations



ABRASIVES

BLASTING

COATING

DUST COLLECTORS

ENGINEERED SYSTEMS

RENTAL

SAFETY

SERVICE, REPAIR, & MODERNIZATION

VACUUMS

CONTACT MARCO

800.BLAST.IT
(800.252.7848)

563.324.2519

FAX: 563.324.6258

WWW.MARCO.US
SALES@MARCO.US