



# INSPECTION EQUIPMENT



# PART NUMBERS AND SCHEMATICS GUIDE

## Company Profile

Since 1944, Marco has developed a strong tradition of providing innovative and reliable products and services to the surface preparation and protective coatings industries. We are the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

Through innovative designs and a total commitment to quality, Marco manufactures products that increase production rates, create a safer workplace, and reduce maintenance costs. Marco's industry experience, manufacturing capabilities, legendary customer service, product availability, logistics services, and technology leadership is your assurance that we deliver high quality products and services, providing the best value to you, our customer.

## The Marco Difference

- **Industry Experience** – With Marco on your team, you have access to expertise which can only come from decades of industry leadership. We have organized our engineering department, production specialists, customer operations, and safety support into a “Center of Competence.” As a Marco customer, you have access to hundreds of years of cumulative experience related to your operations.
- **Manufacturing Excellence** – Marco is a U.S. based, ISO 9001:2008 certified manufacturer of equipment for the Surface Preparation and Protective Coatings industries. Marco's engineers benchmark the industry to ensure that we design and manufacture superior products that set the “Gold Standard” for performance, safety, and quality.
- **Legendary Customer Service** – Marco's legendary customer service team is staffed by friendly, highly-trained individuals who are focused on providing the highest level of product support, order accuracy, and customer satisfaction.
- **Product Availability** – We stock over 10,000 SKU's and have more than 45 shipping locations to serve North American and International markets for all major brands of blasting and coating equipment. As the largest provider of surface preparation and protective coatings equipment in the world, our inventory levels and product availability are unmatched.
- **Logistics Services** – Marco's in-house logistics team is dedicated to moving your shipment anywhere in the world. We move more than 14,000 truckloads every year, allowing you to save on freight costs by leveraging our buying power. Lower your process costs with a single invoice, which includes product and freight.
- **Technology Leadership** – Our website provides: Operator's Manuals, Part Numbers and Schematics Guides, SDS information, and Features & Specifications Guides, providing access to information 24/7. Our Extranet application allows you to receive quotes and place orders online. Our Intranet maintains a complete record of your purchase history to assist with ongoing support of your existing equipment and future purchasing decisions.

## Vision Statement

Marco is the world's premier provider of Abrasives, Blasting, Coating, Dust Collectors, Engineered Systems, Rental, Safety, Service, Repair, & Modernization, and Vacuums.

## Mission Statement

Marco provides strong leadership and innovation to the surface preparation and protective coatings industries. We dedicate our efforts to the continuous improvement of our products, services, processes, people, and most importantly, the quality of our customer's experience.

## Quality Statement

Marco is committed to providing superior quality in the design, manufacturing, distribution, rental, service, and repair of our products. Our ISO 9001:2008 certification extends throughout all operations in all locations. Continuous improvement of our processes and supply chain Integration comprise the core of our business strategy for delivering exceptional quality and value in all Marco products and services.

## Management Philosophy

We are a company dedicated to the success of every customer and associate. We discuss, debate, challenge, measure, and test our ideas. We will be boundless and limitless in our passion to improve. Through sound leadership and dedicated associates, we will ensure a long term, profitable future for Marco, our associates, customers, and suppliers.

# TABLE OF CONTENTS





<b>Company Profile</b> . . . . .	<b>2</b>
<b>Table of Contents</b> . . . . .	<b>3</b>
<b>Surface Inspection Equipment</b> . . . . .	<b>4-9</b>
Testex® Press-O-Film Profile Gauge . . . . .	4-5
DeFelsko® PosiTector® SPG Surface Profile Gauge . . . . .	6
DeFelsko® PosiTector® SPG Probe . . . . .	6
DeFelsko® PosiTector® 6,000 FKS1 . . . . .	6
elcometer® Surface Profile Gauge . . . . .	7
Chloride Testing Tools . . . . .	8
LeadCheck™ Kit . . . . .	8
Magnetic Steel Temperature Gauges . . . . .	9
Surface Thermometer . . . . .	9
Laser Point Infrared Temperature Gauge . . . . .	9
<b>Coating Inspection Equipment</b> . . . . .	<b>10-22</b>
Wet Film Gauges . . . . .	10
ElektroPhysik MiniTest 70 Coating Thickness Gauge . . . . .	10
ElektroPhysik Mechanical Coating Thickness Gauges . . . . .	11
ElektroPhysik Automatic Coating Thickness Gauges . . . . .	11
DeFelsko® PosiTector® 6000 Coating Thickness Gauges . . . . .	12
DeFelsko® PosiTector® 6000 Probes . . . . .	13
DeFelsko® PosiTector® Inspection Kits . . . . .	14
DeFelsko® PosiTest® DFT Dry Film Gauges . . . . .	14
DeFelsko® Certified Coated Metal Plates . . . . .	15
DeFelsko® Certified Polystyrene Blocks . . . . .	15
elcometer® Coating Thickness Gauge . . . . .	16
elcometer® Coating Thickness Gauge Probe . . . . .	16
DeFelsko® PosiTest® Adhesion Tester . . . . .	17
DeFelsko® PosiTest® Adhesion Tester Kit . . . . .	17
Tinker & Razor Holiday Detector . . . . .	18
Tinker & Razor Holiday Detector Accessories . . . . .	18
elcometer® Holiday Detector . . . . .	19
elcometer® Holiday Detector Accessories . . . . .	19
ElektroPhysik Holiday Detector . . . . .	19
D. E. Stearns Holiday Detectors . . . . .	20
D. E. Stearns Holiday Detector Accessories . . . . .	21
KTA Inspection Instrument Kit . . . . .	22
KTA Inspection Instrument Kit Accessories . . . . .	22
Advanced Inspection Kit . . . . .	22
<b>Atmospheric Inspection Equipment</b> . . . . .	<b>23-24</b>
DeFelsko® PosiTector® DPM Dew Point Meters . . . . .	23
DeFelsko® PosiTector® DPM Dew Point Meter Probes . . . . .	23
Psychrometer Dew Point Meter . . . . .	23
Exttech® Digital Psychrometer & Infrared Thermometer . . . . .	23
Bacharach® Sling Psychrometer . . . . .	24
<b>Miscellaneous Inspection Equipment</b> . . . . .	<b>25</b>
Inspection Mirrors . . . . .	25
PTC® Durometer Gauge . . . . .	25
<b>Maintenance Notes</b> . . . . .	<b>26-27</b>

## PART NUMBERS & SCHEMATICS GUIDE

Part Numbers	TESTEX® PRESS-O-FILM® PROFILE GAUGE KIT
	Description
20TECXKIT	Testex Press-O-Film® Kit Includes: Thickness Gauge, 1 Roll Coarse Tape, 1 Roll Extra Coarse Tape & Burnishing Tool






109V064 – Operator's Manual – Testex® Press-O-Film




	Part Numbers	TESTEX® PRESS-O-FILM® ACCESSORIES
		Description
	20TE7326FTX1	Testex Thickness Gauge
	20TELEVEROLD	Lifting Lever – Stainless Steel
	20TELEVERNEW	Lifting Lever – Plastic
	20TEBURNTOOL	Burnishing Tool

Testex® and Press-O-Film® are registered trademarks of Testex®.


## PART NUMBERS & SCHEMATICS GUIDE


				<b>TESTEX® PRESS-O-FILM® TAPE OPTIONS</b>		
<b>Part Numbers</b>		<b>Description</b>	<b>Mil Profile</b>			
	<b>20TEMEDIUM</b>	Medium Tape	.05 – .75 Mils			
	<b>20TECOARSEMINUS</b>	Coarse Minus Tape	.5 – 1.0 Mils			
	<b>20TECOARSE</b>	Coarse Tape	.8 – 2.5 Mils			
	<b>20TEXCOARSE</b>	Extra Coarse Tape	1.5 – 4.5 Mils			
	<b>20TEXCOARSEPLUS</b>	Extra Coarse Plus Tape	4.5 – 6.5 Mils			

## PART NUMBERS & SCHEMATICS GUIDE


<b>DeFelsko® PosiTector® SPG SURFACE PROFILE GAUGE</b>				
	<b>Part Numbers</b>	<b>Model</b>	<b>Probe Style</b>	<b>Mil Thickness Range</b>
	20DFSPG1E	Standard	Built-In	0 – 20 Mils

109V076 – Operator's Manual – DeFelsko® PosiTector® SPG Surface Profile Gauge

<b>DeFelsko® PosiTector® SPG PROBE</b>				
	<b>Part Numbers</b>	<b>Model</b>	<b>Probe Style</b>	<b>Mil Thickness Range</b>
	20DFPRBSPG	SPG Probe Only	Built-in	0 – 20 Mils





<b>DeFelsko® PosiTector® 6000 FKS1</b>				
	<b>Part Numbers</b>	<b>Model</b>	<b>Probe Style</b>	<b>Mil Thickness Range</b>
	20DFFKS1	Standard	Built-in	0 – 500 Mils

# PART NUMBERS & SCHEMATICS GUIDE

elcometer® SURFACE PROFILE GAUGES							
Part Numbers	Model	Probe Style	Mil Thickness Range	Style	Data Output	Batch Memory	
	20ELE224CTI	224-T	Built-In	0 – 20 Mils	Advanced	USB, Bluetooth®	2500 Readings


105M065 – Features & Specifications Guide – elcometer® 224 Surface Profile Gauges  
 109V065 – Operator's Manual – elcometer® 224 Surface Profile Gauges

## PART NUMBERS & SCHEMATICS GUIDE

	Part Numbers	Chlor*Test™ TESTING KITS		
		Model	Description	Quantity
	2070013	Chlor*Test™ Kit for Surfaces	Chloride for Surfaces	5/Pkg
	2070239	Chlor*Test™ "CSN Salts"	Chloride, Sulfate, and Nitrate Ion for Surfaces	5/Pkg
	20SPTCHLOR	Chlor*Test™ Kit "A" for testing Abrasives	Chloride Ion Test for Abrasives	4/Pkg
	2070020	Chlor*Test™ Kit "W" for testing Water and Liquids	Chloride Ion Test for Water and Liquids	5/Pkg

- 101V058 – Brochure – Chlor\*Test™ for Surfaces  
 109V058 – Field Test Instructions – Chlor\*Test™ for Surfaces  
 101V060 – Brochure – Chlor\*Test™ Kit "A"  
 109V060 – Field Test Instructions – Chlor\*Test™ Kit "A"  
 101V059 – Brochure – Chlor\*Test™ Kit "W"  
 109V059 – Field Test Instructions – Chlor\*Test™ Kit "W"




Part Numbers	Chlor*Test™ REFILL KIT FOR SURFACE TESTING KIT	
	Description	
2070003	Chlor*Test™ Refill Kit for 2070239. Does not include Colorimeter.	


	Part Numbers	LEADCHECK™ KIT
		Description
	1070797	LeadCheck™ Kit – 8 Swabs Per Kit



Chlor\*Test™ is a trademark of Chlor\*Rid®.



## PART NUMBERS & SCHEMATICS GUIDE

<b>MAGNETIC STEEL TEMPERATURE GAUGES</b>			
	<b>Part Numbers</b>	<b>Temperature Range</b>	<b>Dual Magnetic Back</b>
	20CWTFB20SGOMT	Up to 150° Fahrenheit	X
	20CWTFB20SGVMTE	Up to 250° Fahrenheit	X
	20CWTFB20SGYMTE	Up to 500° Fahrenheit	X

<b>SURFACE THERMOMETER</b>				
	<b>Part Numbers</b>	<b>Dial Diameter</b>	<b>Temperature Range</b>	<b>Dual Magnet Mount</b>
	2070321	2"	Up to 250° Fahrenheit	X





<b>LASER POINT INFRARED TEMPERATURE GAUGE</b>			
	<b>Part Numbers</b>	<b>Description</b>	<b>Temperature Rating</b>
	2070317	IR400 Mini Infrared Thermometer	Up to 630° Fahrenheit
	20ISRAYMT4U	Raytek® MT4 MiniTemp™ Infrared Thermometer with Laser Sighting	Up to 750° Fahrenheit


105V077 – Features & Specifications Guide – Raytek® MT4 MiniTemp™ Infrared Thermometer

109V077 – Operator's Manual – Raytek® MT4 MiniTemp™ Infrared Thermometer

Raytek® and MiniTemp™ are trademarks or registered trademarks of ElektroPhysik.




## PART NUMBERS & SCHEMATICS GUIDE

		WET FILM GAUGES		
Part Numbers		Manufacturer	Material	Film Thickness
	2070103	Marco	Aluminum	1 – 80 Mil
	20WETFILMGAUGE	Gardco Model "S"	Aluminum	1 – 80 Mil
	20NWFG20	Nordson	Stainless Steel	1/2 – 20 Mil
	20NWFG60	Nordson	Stainless Steel	4 – 60 Mil



		ELEKTROPHYSIK MINITEST 70 COATING THICKNESS GAUGE			
Part Numbers	Substrate	Model	Probe Style	Mil Thickness Range	
	20EPMIN007015	Non-Ferrous	70	Built-In	0 – 100 Mils

105V069 – Features & Specifications – Elektrophysik® MiniTest 70 Coating Thickness Gauge

## PART NUMBERS & SCHEMATICS GUIDE











<b>ELEKTROPHYSIK MANUAL COATING THICKNESS GAUGES</b>				
	<b>Part Numbers</b>	<b>Model</b>	<b>Scale Style</b>	<b>Mil Thickness</b>
	20EPMIK010000	MikroTest® 5 GM	Manual	0 – 4 Mils
	20EPMIK010100	MikroTest® FM	Manual	0 – 40 Mils
	20EPMIK010110	MikroTest® FM - Metric	Manual	0 – 40 Mils

105V061 – Features & Specifications Guide – MikroTest® Coating Thickness Gauges  
 109V061 – Operating Instructions – MikroTest® 5 and 6 Coating Thickness Gauge

<b>ELEKTROPHYSIK AUTOMATIC COATING THICKNESS GAUGES</b>				
	<b>Part Numbers</b>	<b>Model</b>	<b>Scale Style</b>	<b>Mil Thickness</b>
	20EPMIK010020	MikroTest® 6 GM	Automatic	0 – 4 Mils
	20EPMIK010120	MikroTest® FM	Automatic	0 – 40 Mils

105V061 – Features & Specifications Guide – MikroTest® Coating Thickness Gauges  
 109V061 – Operating Instructions – MikroTest® 5 and 6 Coating Thickness Gauge








## PART NUMBERS & SCHEMATICS GUIDE

DeFelsko® PosiTector® 6000 COATING THICKNESS GAUGES							
Part Numbers	Ferrous Substrate	Non-Ferrous Substrate	Combination Substrate	Model	Probe Style	Mil Thickness Range	
	20DFF1	X			Standard	Built-In	0 – 60
	20DFFRS1	X			Standard	90° Regular, Corded	0 – 60
	20DFF3	X			Advanced	Built-In	0 – 60
	20DFFS3	X			Advanced	Straight End, Corded	0 – 60
	20DFFKS3	X			Advanced	Straight End, Corded	0 – 500
	20DFN1			X	Standard	Built-In	0 – 60
	20DFNS1			X	Standard	Straight End, Corded	0 – 60
	20DFN3			X	Advanced	Built-In	0 – 60
	20DFFNTS1			X	Standard	Straight End, Corded	0 – 250
	20DFFNTS3			X	Advanced	Straight End, Corded	0 – 250

105V067 – Features & Specifications Guide – DeFelsko® PosiTector® 6000 Coating Thickness Gauge  
 109V067 – Operator's Manual – DeFelsko® PosiTector® 6000 Coating Thickness Gauge




DeFelsko® and PosiTector® are registered trademarks of DeFelsko.

## PART NUMBERS & SCHEMATICS GUIDE



		DeFelsko® PosiTector® 6000 PROBES				
Part Numbers		Ferrous Substrate	Non-Ferrous Substrate	Combination Substrate	Probe Style	Mil Thickness Range
	20DFPRBF	X			Built-In	0 – 60
	20DFFS	X			Straight End, Corded	0 – 60
	20DFPRBFRS	X			90° End, Corded	0 – 60
	20DFFKS	X			Straight End, Corded	0 – 500
	20DFN		X		Built-In	0 – 60
	20DFNS		X		Straight End, Corded	0 – 60
	20DFFNTS			X	Straight End, Corded	0 – 250

105V067 – Features & Specifications Guide – DeFelsko® PosiTector® 6000 Coating Thickness Gauge  
 109V067 – Operator's Manual – DeFelsko® PosiTector® 6000 Coating Thickness Gauge

## PART NUMBERS & SCHEMATICS GUIDE



<b>DeFelsko® PosiTector® INSPECTION KITS</b>						
<b>Part Numbers</b>	<b>PosiTector® Model</b>	<b>Surface Profile Probe</b>	<b>Dew Point Meter</b>	<b>Coating Thickness Probe</b>	<b>Substrate</b>	
 <b>20DFKITF1</b>	Standard	20DFPRBSPG	PRBDPM	20DFF1	Ferrous	
 <b>20DFKITFNS1</b>	Standard	20DFPRBSPG	PRBDPM	20DFNS1	Ferrous/ Non-Ferrous	
 <b>20DFKITFNS3</b>	Advanced	20DFPRBSPG	PRBDPM	20DFNS3	Ferrous/ Non-Ferrous	

109V076 – Operator's Manual – DeFelsko® PosiTector® SPG  
 109V062 – Operator's Manual – DeFelsko® PosiTector® DPM  
 109V097 – Operator's Manual – DeFelsko® PosiTector® 6000


<b>DeFelsko® PosiTest® DFT DRY FILM GAUGES</b>					
<b>Part Numbers</b>	<b>Substrate</b>	<b>Model</b>	<b>Probe Style</b>	<b>Mil Thickness Range</b>	
 <b>20DFTF</b>	Ferrous	Standard	Built-In	0 – 40 Mil	
 <b>20DFTCB</b>	All	Standard	Built-In	0 – 40 Mil	

105V066 – Features & Specifications Guide – DeFelsko® PosiTest® DFT Coating Thickness Gauge  
 109V066 – Operator's Manual – DeFelsko® PosiTest® DFT Coating Thickness Gauge

## PART NUMBERS & SCHEMATICS GUIDE


		<b>DeFelsko® CERTIFIED COATED METAL PLATES</b>					
<b>Part Numbers</b>		<b>Substrate</b>	<b>Mil Profile</b>	<b>Approximate Plate Mil Thickness</b>			
				<b>Plate 1</b>	<b>Plate 2</b>	<b>Plate 3</b>	<b>Plate 4</b>
	<b>20DFS1</b>	Ferrous	0 – 60 Mil	0	3 Mil	10 Mil	60 Mil
	<b>20DFS2</b>	Ferrous & Combination	0 – 40 Mil	0	3 Mil	10 Mil	40 Mil

105V074 – Features & Specifications Guide – DeFelsko® Coating Thickness Standards

		<b>DeFelsko® CERTIFIED POLYSTYRENE BLOCKS</b>					
<b>Part Numbers</b>		<b>Substrate</b>	<b>Mil Profile</b>	<b>Approximate Block Mil Thickness</b>			
				<b>Block 1</b>	<b>Block 2</b>	<b>Block 3</b>	<b>Block 4</b>
	<b>20DFSTDP1</b>	Ferrous & Combination	15 – 250 Mil	15 Mil	80 Mil	185 Mil	250 Mil


105V074 – Features & Specifications Guide – DeFelsko® Coating Thickness Standards

## PART NUMBERS & SCHEMATICS GUIDE

<b>elcometer® COATING THICKNESS GAUGE</b>					
	<b>Part Numbers</b>	<b>Substrate</b>	<b>Model</b>	<b>Probe Style</b>	<b>Mil Thickness Range</b>
	<b>20ELA456CFNFBS</b>	Combination	456-B	Seperate	0 – 500 Mils

101V068 – Brochure – elcometer® Coating Thickness Gauges

109V068 – Operator's Manual – elcometer® Coating Thickness Gauges

<b>elcometer® COATING THICKNESS GAUGE PROBE</b>					
	<b>Part Numbers</b>	<b>Substrate</b>	<b>Model</b>	<b>Probe Style</b>	<b>Mil Thickness Range</b>
	<b>20ELT456CFNF1P</b>	Combination	456	PINIP™	0 – 60 Mils

elcometer® and PINIP™ are registered trademarks or trademarks of elcometer®.



## PART NUMBERS & SCHEMATICS GUIDE

	Part Numbers	DeFelsko® PosiTest® ADHESION TESTER	
		Description	
	20DFATM	Manual Adhesion Tester	

105V070 - Brochure - PosiTest® AT Adhesion Tester


109V070 - Operator's Manual - PosiTest® AT Adhesion Tester

	Part Numbers	DeFelsko® PosiTest® ADHESION TESTER KIT			
		Aluminum Test Dollies	Abrasive Pad	Adhesive	Cotton Swabs
No Image Available	20DFATADHESIVEKIT	20	X	X	X

105V070 - Brochure - PosiTest® AT Adhesion Tester




109V070 - Operator's Manual - PosiTest® AT Adhesion Tester

## PART NUMBERS & SCHEMATICS GUIDE


		TINKER & RASOR HOLIDAY DETECTOR						
<b>Part Numbers</b>		<b>Manufacturer</b>	<b>Model</b>	<b>Mil Profile</b>	<b>Handle</b>	<b>Sponge Electrode</b>	<b>Wetting Agent</b>	<b>Ground Wire</b>
	<b>2070007</b>	Tinker & Rasor	M/1	0 – 20	18"	2" x 2" x 7"	4 oz.	15 Ft.

*105V071 – Features & Specifications Guide – Tinker & Raser M/1 Holiday Detector*




*109V071 – Operating Instructions – Tinker & Raser M/1 Holiday Detector*


		TINKER & RASOR HOLIDAY DETECTOR ACCESSORIES	
<b>Part Numbers</b>	<b>Description</b>		
	<b>2070006</b>	18" Wand Only	
	<b>2070008</b>	Wetting Agent – 8 oz.	
	<b>20DESPONGE</b>	2" x 2" x 7" Sponge	

## PART NUMBERS & SCHEMATICS GUIDE

		elcometer® HOLIDAY DETECTOR						
Part Numbers	Manufacturer	Model	Mil Profile	Handle	Sponge Electrode	Wetting Agent	Ground Wire	
	20ELD2704	elcometer®	270	0 – 20	6.9"	6" x 2.3" x 1"	N/A	13 Ft.

109V072 – Operator's Manual – elcometer® 270 Holiday Detector

		elcometer® HOLIDAY DETECTOR ACCESSORIES	
Part Numbers	Description		
	20ELT27016867	Standard Wand with Flat Sponge	
	2070008	Wetting Agent – 8 oz.	
	20ELT27018050	6" x 2.3" x 1" Sponge (Pack of Three)	


		ELEKTROPHYSIK HOLIDAY DETECTOR						
Part Numbers	Manufacturer	Model	Mil Profile	Handle	Sponge Electrode	Wetting Agent	Ground Wire	
	20EPPOR020000	ElektroPhysik	PoroTest 1	0 – 12	12"	3-1/2" x 2" x 1"	N/A	5 Ft.

105V073 – Features & Specifications Guide – ElektroPhysik Porotest 1


109V073 – Operator's Manual – ElektroPhysik Porotest 1

elcometer® is a registered trademark of elcometer®.









## PART NUMBERS & SCHEMATICS GUIDE

		<b>D. E. STEARNS HOLIDAY DETECTOR</b>				
<b>Part Numbers</b>	<b>Manufacturer</b>	<b>Model</b>	<b>Handle</b>	<b>Output Voltage Range</b>	<b>Ground Wire</b>	
	2070332	D. E. Stearns	14/20	18"	800 Volts – 35,000 Volts	20 Ft.


109V715 – Operator's Manual – D. E. Stearns 14/20 Holiday Detector


		<b>D. E. STEARNS LOW VOLTAGE HOLIDAY DETECTOR</b>						
<b>Part Numbers</b>	<b>Manufacturer</b>	<b>Model</b>	<b>Handle</b>	<b>Cable</b>	<b>4 oz. Water Bottle</b>	<b>Batteries</b>	<b>Ground Wire</b>	
	1070961	D. E. Stearns	M1	18"	6 Ft.	X	6 AA	15 Ft.


## PART NUMBERS & SCHEMATICS GUIDE

<b>Part Numbers</b>		<b>D. E. STEARNS HOLIDAY DETECTOR ACCESSORIES</b>
		<b>Description</b>
	<b>2070337</b>	12" Wire Brush for Holiday Detector
	<b>2070338</b>	16" Wire Brush for Holiday Detector
	<b>2070339</b>	24" Wire Brush for Holiday Detector
	<b>2070336</b>	Ground Wire - 20'
	<b>2070333</b>	12" Full Spring Circle Electrode
	<b>2070334</b>	16" Full Spring Circle Electrode
	<b>2070335</b>	24" Full Spring Circle Electrode
	<b>1070816</b>	Lithium Battery for Holiday Detector

## PART NUMBERS & SCHEMATICS GUIDE



		<b>KTA INSPECTION INSTRUMENT KIT</b>							
<b>Part Numbers</b>		DeFelsko® 6000 F-1 Dry Film Gauge	Bacharach® Sling Psychrometer	PTC® Surface Temperature Gauge	Taylor Paint Thermometer	Dick Blick Blotter Paper	X-Coarse Testex® Tape & Gauge	Nordson Wet Film Gauge	Ullman Inspection Mirror
	2070001	X	X	X	X	X	X	X	X

<b>Part Numbers</b>		<b>KTA INSPECTION INSTRUMENT KIT ACCESSORIES</b>	
		Description	
	2070052	Using Coatings Inspection Instruments Instruction Book - 3rd Edition	



		<b>KTA ADVANCED INSPECTION KIT</b>													
<b>Part Numbers</b>		Positector 6000 Advanced Body	F Probe	DPM Probe	Taylor Paint Thermometer	Spring Micrometer	X-Coarse Testex® Tape	Nordson Wet Film Gauge	C-2 Inspection Mirror	SSPC Surface Prep and Specs	SSPC PA 2	Blotter Paper	Intrinsically Safe LED Flashlight	KTA Log Book	Pelican Case
	2070304	X	X	X	X	X	X	X	X	X	X	X	X	X	X

DeFelsko® is a registered trademark of DeFelsko. Bacharach® is a registered trademark of Bacharach, Inc. PTC® is a registered trademark of PTC Instruments. Testex® and Press-O-Film® are registered trademarks of Testex®.

## PART NUMBERS & SCHEMATICS GUIDE

		<b>DeFelsko® PosiTector® DPM DEW POINT METERS</b>	
<b>Part Numbers</b>		<b>Description</b>	
	<b>20DFDPM</b>	DeFelsko® PosiTector® DPM Dew Point Meter with Built-In Probe	
	<b>20DFDPMS1</b>	DeFelsko® PosiTector® DPM Dew Point Meter with Separate Probe	

105V062 – Features & Specifications Guide – DeFelsko® DPM Dew Point Meter  
 109V062 – Operator's Manual – DeFelsko® DPM Dew Point Meter

		<b>DeFelsko® PosiTector® DPM DEW POINT METER PROBES</b>	
<b>Part Numbers</b>		<b>Description</b>	
	<b>20DFPRBDPM</b>	Built-In Probe for DeFelsko® Positector® DPM Dew Point Meter	
	<b>20DFPRBDPMS</b>	Separate Probe for DeFelsko® Positector® DPM Dew Point Meter	



		<b>MANNIX DIGITAL PSYCHROMETER DEW POINT METER</b>	
<b>Part Numbers</b>		<b>Description</b>	
	<b>2070048</b>	Mannix EP8706 Digital Psychrometer Dew Point Meter	


109V079 – Operator's Manual – Mannix EP8706 Digital Psychrometer

		<b>Extech® DIGITAL PSYCHROMETER &amp; INFRARED THERMOMETER</b>	
<b>Part Numbers</b>		<b>Description</b>	
	<b>2070280</b>	Extech® RH401 Digital Psychrometer & Infrared Thermometer	

109V558 – Operator's Manual – Extech® RH401 Digital Psychrometer & Infrared Thermometer

## PART NUMBERS & SCHEMATICS GUIDE

		Bacharach® SLING PSYCHROMETER
Part Numbers		Description
	<b>20BA127012</b>	Bacharach® Sling Psychrometer
	<b>20BA127012CRT</b>	Bacharach® Sling Psychrometer with Certificate of Conformance





Item #	Part #	Description
—	<b>20BA127012</b>	<b>Bacharach Sling Psychrometer</b>
—	<b>20BA127012CRT</b>	<b>Bacharach Sling Psychrometer with Certificate of Conformance</b>
1	20BA120180	Plug & Swivel Assembly
2	20BA1200026	Fahrenheit Tube
3	20BA120194	Body
4	20BA120266	Fahrenheit Thermometer
5	20BA120176	Thermometer Clip <i>(Two Required)</i>
6	20BA021740	Thermometer Clip Screw <i>(Two Required)</i>
7	20BA120011	Wick Replacement Kit <i>Includes Four Wicks</i>
8	20BA065456	Cap
—	109V063	Instruction Manual – Bacharach Sling Psychrometer

Bacharach® is a registered trademark of Bacharach, Inc.



## PART NUMBERS & SCHEMATICS GUIDE

		<b>INSPECTION MIRROR</b>	
		Part Numbers	Description
	<b>20INSPECTIONMIRROR</b>	Telescoping Round Inspection Mirror 10.5" Minimum to 15" Maximum Length	
	<b>1070905</b>	Telescoping Round Inspection Mirror 4.5" Minimum to 18" Maximum Length	
	<b>1571023</b>	Telescoping Round Inspection Mirror 11 1/8" Minimum to 30 1/4" Maximum Length	
	<b>1071023</b>	Telescoping Round Inspection Mirror 11 1/8" Minimum to 30 1/4" Maximum Length	

<b>PTC® DUROMETER GAUGE</b>					
		Part Numbers	Model	ASTM D2240 Specifications	Dial Range

*105V075 – Features & Specifications – PTC® ASTM Type D Durometer*





## 40+ NATIONWIDE SHIPPING LOCATIONS

### GLOBAL HEADQUARTERS

- 3425 East Locust Street  
Davenport, IA 52803


ph: 800.BLAST.IT (800.252.7848)

ph: 563.324.2519

fax: 563.324.6258

### REGIONAL BRANCH OFFICES

- **Iowa**  
Davenport
- **Louisiana**  
Gonzales  
Harvey  
Lafayette
- **Ohio**  
Youngstown
- **Texas**  
Beaumont  
Corpus Christi  
Deer Park



★ Marco Regional Branch Offices  
and Shipping Locations

● Direct Shipping Locations



ABRASIVES

BLASTING

COATING

DUST COLLECTORS

ENGINEERED SYSTEMS

RENTAL

SAFETY

SERVICE, REPAIR, & MODERNIZATION

VACUUMS

### CONTACT MARCO

800.BLAST.IT

(800.252.7848)

563.324.2519

FAX: 563.324.6258

WWW.MARCO.US

SALES@MARCO.US